

**CLOVIS UNIFIED
SCHOOL DISTRICT**

FACILITIES

Planning

SCHOOL CAPACITY PARAMETERSPERMANENT DESIGN CAPACITY***Elementary Schools**

Elementary School	No. of Permanent Classrooms	Permanent Design Capacity
Boris Elementary	28	762
Bud Rank Elementary	28	748
Cedarwood Elementary	24	701
Century Elementary	23	592
Clovis Elementary	29	730
Cole Elementary	23	592
Copper Hills Elementary	26	687
Cox Elementary	23	592
Dry Creek Elementary	21	735
Fancher Creek Elementary	24	580
Freedom Elementary	29	748
Ft. Washington Elementary	21	531
Fugman Elementary	28	714
Garfield Elementary	23	565
Gettysburg Elementary	23	592
Jefferson Elementary	22	532
Liberty Elementary	23	592
Lincoln Elementary	23	592
Maple Creek Elementary	23	565
Miramonte Elementary	22	532
Mt. View Elementary	25	653

**CLOVIS UNIFIED
SCHOOL DISTRICT**

Elementary School	No. of Permanent Classrooms	Permanent Design Capacity
Nelson Elementary	20	440
Oraze Elementary	28	762
Pinedale Elementary	21	498
Reagan Elementary	28	762
Red Bank Elementary	23	626
Riverview Elementary	28	748
Sierra Vista Elementary	22	532
Tarpey Elementary	22	498
Temperance-Kutner Elementary	22	498
Valley Oak Elementary	22	565
Weldon Elementary	23	532
Woods Elementary	28	748
Young Elementary	28	748

Secondary Schools

High School	Permanent Design Capacity
Buchanan High	2668
Clovis High	2302
Clovis West High	2276
Clovis East High	2632
Clovis North High	2616
Gateway High	540

Intermediate School	Permanent Design Capacity
Alta Sierra Intermediate	1302
Clark Intermediate	1276
Kastner Intermediate	1068
Reyburn Intermediate	1381
Granite Ridge Intermediate	1459

*Permanent Design Capacity - The number of students eligible to be housed at a school site based upon the available permanent classrooms multiplied by the District's loading capacity, taking into consideration class sizes of students in Grades K-3, Grades 4-6, Grades 7-8 and Grades 9-12.

**CLOVIS UNIFIED
SCHOOL DISTRICT**School to School Transfer Considerations

Open Enrollment Transfers - ninety percent (90%) of Permanent Design Capacity will be used to establish the school capacity for Open Enrollment Transfer Requests for elementary schools as outlined in the District's Board Policy and ninety-five percent (95%) of Permanent Design Capacity will be used for secondary schools. Other factors may include the combined capacity at educational center sites, number of students in a particular grade, course offerings, co-curricular opportunities, staffing levels and related educational priorities in order to maintain comprehensive instructional programs at all schools.

All Transfers - In addition to Permanent Design Capacity, other factors when determining space availability may include the combined capacity at educational center sites, number of students in a particular grade, course offerings, co-curricular opportunities, staffing levels and related educational priorities in order to maintain comprehensive instructional programs at all schools.

Adopted: 08/08/2007

Amended: 07/26/2010, 03/18/2014, 09/16/2014, 09/26/2018, 08/28/2019 (EXH 2208(5)/
5105(3) renumbered as EXH 7110.2(3)), 05/20/2020, 02/01/2023

Doc# 33625-5 (02/2023, None)